


WE CLAIM:


1. A compound having Formula I



5

where R is selected from the group consisting of hydrogen and lower aliphatic.


2. The compound according to claim 1 where R is lower alkyl.
10 3. The compound according to claim 1 where R is methyl.
4. The compound according to claim 1 where the compound is




5. A method for treating a subject, comprising:

providing a compound having Formula II

5




where R₁ is selected from the group consisting of hydrogen and lower aliphatic, and R₂ is selected from the group consisting of -CH₂COCH₃ and



; and


- 5 administering an effective amount of the compound to the subject.

6. The method according to claim 5 where R₂ is




10


7. The method according to claim 5 where the compound is



8. The method according to claim 5 where the compound is



9. The method according to claim 5 where the subject is a mammal.
10. The method according to claim 5 where the subject is a human.
- 5 11. The method according to claim 5 where the effective amount is from about 0.1 mg/kg body weight per day, to about 200 mg/kg body weight per day, in single or divided doses.
- 10 12. The method according to claim 5 where administering comprises administering the compound topically, orally, intramuscularly, intranasally, subcutaneously, intraperitoneally, intravenously, or combinations thereof.
- 15 13. The method according to claim 5 where the compound is administered as a pharmaceutical composition.
14. A pharmaceutical composition comprising an effective amount of a compound having Formula 1



where R is selected from the group consisting of hydrogen and lower aliphatic.

15. The composition according to claim 14 where R is lower alkyl.
5
16. The composition according to claim 14 where the compound is

